

Specification Sheet

Part Number: 596-00251



Solar Marker, Reflective, Non-Adhesive, CAUTION: SOLAR CIRCUIT, 7.25" x 5", VL, Red, 25/pkg

Article Number	596-00251
Type	CSCSNAP72R
Color	Red (RD)
Features & Benefits	<ul style="list-style-type: none">• Made with UV stable inks and materials for durability and weather resistance.• The labels are supplied with aggressive adhesive to ensure long life.• Solar Installation labels meet NEC & IFC standards for printed text, character height, color and outdoor UV stability to pass inspections.
Quantity Per	roll

Product Description

These HellermannTyton photovoltaic caution and power source markers are designed to meet the requirements of the National Electrical Code (NEC) International Fire Code (IFC) as well as being acceptable to the Authority Having Jurisdiction (AHJ). Coiled markers are pre-printed, non-adhesive and made of a UV stable vinyl. Markers can be opened and snapped over cables for long-term, reflective, permanent identification. Some pre-printed labels are printable using a thermal transfer printer when variable voltage or series data must be printed and displayed. Vinyl markers fit all standard PV cables or electrical metallic tubing (EMT) conduits.

Short Description

Solar Marker, Reflective, Non-Adhesive, CAUTION: SOLAR CIRCUIT, 7.25" x 5", VL, Red, 25/pkg

Global Part Name

CSCSNAP72R-V-RD

Technical Description

Pre-Printed Solar Marker, Reflective, Non-Adhesive, Coiled, "CAUTION: SOLAR CIRCUIT", 7.25" X 5", Red

Width W (Imperial)

7.25

Width W (Metric)

184.15

Height H (Imperial)

5.0

Height H (Metric)

127.0

Material

Vinyl

Material Shortcut

V

Halogen free

Yes

Operating Temperature (Metric)

-18°F to +200°F (-29°C to +93°C)

ROHS Complaint

Yes

Certification/Specification WEB

IFC 2012 NEC2011

Package Quantity(Imperial)

25

Package Quantity (Metric)

25

Customs Number

3919905060