






Item	Date	Remark
A	20120612	Original Drawing



Pin	Symbol
1	N.C. (GND)
2	V _{SS}
3	V _{SS}
4	N.C.
5	V _{DD}
6	BS1
7	BS2
8	CS#
9	RES#
10	D/C#
11	R/W#
12	E/RD#
13	D0
14	D1
15	D2
16	D3
17	D4
18	D5
19	D6
20	D7
21	IR#
22	V _{COBH}
23	V _{CC}
24	N.C. (GND)

Notes:

- Color: Green
- Driver IC: SSD1309
- FPC Number: UT-0205-P05
- Interface:
8-bit 68XX/80XX Parallel, 4-wire SPI, I2C
- General Tolerance: ±0.30
- The total thickness (2.10 Max) is without polarizer protective film & remove tape.
The actual assembled total thickness with above materials should be 2.35 Max.

Customer Approval Signature	WiseChip Semiconductor Inc.							Drawing Number	Rev.
	UG-2864ASGPG01 Folding Type OEL Display Module Pixel Number: 128 x 64, Monochrome, COG Package							DMX2864CNGFBN	A
								Material	
	Title		Drawn	E.E.	Panel / E.	P.M.	Scale	Sheet	Size
Unit mm		By	Dora Yang	Ting-Kuo Hu	Ivy Lo	Tiffany Hsu	1:1	1 of 1	A3
General Roughness		Date	20120612	20120612	20120612	20120612			
Tolerance									
Dimension									
Angle									